

K-State Wheat Variety Demonstration Plots
 Wallace Co
 Plot Location: 8 mi southwest of Weskan
 Cooperator: E & H Farms



Variety		Yield bu/ac	Test Weight lb/bu	Moisture %	Protein %
Byrd	Colo State Univ	65.0	59.0	10.8	12.0
Brawl CL+	Colo State Univ	64.7	60.1	10.6	12.8
KSI2H56-6 (Tatanka)	K-State	62.4	60.1	11.0	11.2
WB Grainfield	WestBred	61.6	58.1	10.7	12.6
Denali	Colo State/K-State	61.1	59.3	11.5	12.3
WB Cedar	WestBred	60.2	58.0	10.5	12.3
Armour	WestBred	60.0	57.8	10.8	11.6
Avery	Colo State Univ	57.9	58.9	11.1	11.2
TAM 114	Agseco	57.5	59.9	10.9	12.7
KanMark	K-State	57.3	60.0	10.5	12.5
TAM 112	Watley	56.6	59.4	10.8	13.0
Oakley CL	K-State	56.4	59.2	11.1	13.5
LCS Mint	Limagrain	54.2	60.0	11.5	12.4
T-158	Limagrain	53.2	59.4	10.7	11.8
Winterhawk	WestBred	52.9	60.1	11.1	12.7
LCS Pistol	Limagrain	52.2	58.0	10.7	12.6
WB4458	WestBred	52.0	59.5	10.9	13.8
Robidoux	Univ of Neb	51.4	56.8	11.1	13.7
Average		57.4	59.0	10.9	12.5

Drilled: October 2, 2015
 40 lb/ac
 wheat-corn-fallow rotation
 all seed had fungicide seed treatment

Harvest: July 7, 2016

All yields are adjusted to 13% moisture.

This data is from demonstration plots. It should be used with replicated performance test data for variety selection. Syngenta/AgriPro variety yields are not included in these results, per AgriPro's request.

Please contact Jeanne Falk Jones, K-State Agronomist at (785) 443-3403 or jfalkjones@ksu.edu with questions.

K-State Research and Extension is an equal opportunity provider and employer.